SAFETY DATA SHEET IGL COATINGS™ ECOSHINE NANOWAX Material no.						
Specification	154293	Revision date	16.02.2021			
Version	1.15	Page	1 of 6			
<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING</b> PRODUCT NAME : IGL Coatings™ ecoshine nanowax   FUNCTION : Carnauba wax for vehicle surface   COMPANY : Ominent Sdn Bhd   ADDRESS : No.7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1, 40150 Shah Alam, Selangor.						
PHONE EMAIL ADDRE		355690980 ulations@iglcoatings.co	m			

# 2. HAZARDS IDENTIFICATION

# **2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008	
Health hazards	
Aspiration hazard	Category 1
Acute Toxicity (Inhalation)	Category 4
Skin Irritation	Category 2
Single Target Organ Toxicity - Single Exposure	Category 3

# 2.2 Label Elements

Regulation (EC) No. 1272/2008



#### **Hazard statements**

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness

# **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash exposed skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to comply with local, state and federal regulations.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Chemical Name			Quantity
	EC No.	Index No.	REACH No.	
	Classification accordin			
64742-47-8	Distillates (petroleum). hydrotreated light			60-80%

# SAFETY DATA SHEET IGL COATINGS™ ECOSHINE NANOWAX

1.15



Material no. Specification 154293

Version

Revision date **16.02.2021** 

Page

2 of 6	
--------	--

	265-149-8	649-422-00-2	01-2119484819-18-0000	
			T SE 3: H336; Skin Irr. 2: H315;	
	Aquatic Chronic 2	•	1 SE 3. 11930, Skirt III. E. 11913,	
8002-74-2	Paraffin wax			10-30%
	232-315-6	Not applicable	01-2119488076-30-0000	
	Not classified			
9002-88-4	Polyethylene wax			1-5%
	924-423-3	Not applicable	Not Applicable	
	Not classified		• • • •	
64742-60-5	Hydrocarbon wax			
	265-163-4	Not applicable	01-2119488075-32-0000	
	Not classified			
70131-67-8	Polydimethylsilox	1-5%		
	615-070-3	Not applicable	Not applicable	
	Flam. Liq. 2: H225		· _ · ·	
63148-62-9	Dimethylsiloxanes			1-5%
	613-156-5	Not applicable	Not applicable	
	Eye Irr. 2: H319; A	quatic Chronic 2: H411	· _ · ·	
8015-86-9	Carnauba wax	•		0.1-1%
	232-399-4	Not applicable	Not applicable	
	Not applicable		· · ·	

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### **General Information**

Take off contaminated clothing.

# After Inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# After skin contact

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

# After contact with eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if presence and easy to do. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Foam, water fog, dry chemical powder, carbon dioxide.

# 5.2 Special hazards arising from substance or mixture

Direct water jet.

# **5.3 Advice for firefighters**

In case of a large fire or in confined or poorly ventilated spaces wear full fire resistant protective clothing and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 5.4 Unusual Fire Hazards:

None.

# SAFETY DATA SHEET IGL COATINGS™ ECOSHINE NANOWAX

Material no.

Specification	154293	Revision date
Version	1.15	Page



6	ACCIDENTAL RELEASE MEASURES
υ.	6.1 Personal precautions, protective equipment and emergency procedures
	Wear personal protection equipment (Refer to section 8).
	6.2 Environmental precautions
	Discharge into the environment must be avoided.
	6.3 Methods and material for containment and cleaning up
	Contain and add absorbent materials.
	Treat the recovered material as prescribed in the section on waste disposal.
	Clean contaminated articles and floor according to the environmental legislation.
	6.4 Reference to other sections
	Safe handling: Refer to section 7
	Personal protection equipment: Refer to section 8
	Disposal: Refer to section 13
7.	HANDLING AND STORAGE
	7.1 Precautions for safe handling
	Advice on safe handling
	Wear personal protection equipment (Refer to section 8).
	Advice on protection against fire and explosion
	Not flammable
	Further information on handling
	General protection and hygiene measures: Refer to section 8.
	7.2 Conditions for safe storage, including any incompatibilities
	Requirements for storage rooms and vessels Keep container tightly closed in a cool, well ventilated place
	Keep container tightly closed in a cool, well-ventilated place. Advice on storage compatibility
	Do not store together with food and feeding stuffs.
	Further information on storage conditions
	Keep the packing dry and well-sealed to prevent contamination.
	Recommended storage temperature: 20-25 °C
	<b>7.3 Specific end use(s):</b> Refer to section 1.
8.	EXPOSURE CONTROL/PERSONAL PROTECTION

16.02.2021

3 of 6

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

Additional Information: The lists valid during the making were used as basis.

#### 8.2 Exposure Control

# 8.2.1 General protective and hygienic measures:

Wash hands before breaks and at the end of work.

# 8.2.2 Personal protective equipment:

#### **Respiratory protection:**

A self-contained breathing apparatus should be used to avoid the inhalation of the product.

#### **Protection of hands:**

Using glove where its material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

SAFETY DATA SHEET IGL COATINGS™ ECOSHINE NANOWAX Material no.				igl coatings™
Specification	154293	Revision date	16.02.2021	
Version	1.15	Page	4 of 6	

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

### Body protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	: 177 °C
Percent Volatile	: 81.2 by weight
Specific Gravity	: 0.754 (at 25 °C)
Density	: 0.73 g/cm <sup>3</sup>
Viscosity (cPs)	: Not applicable (solid at ambient)
Evaporation rate	: 0.04 (butyl acetate = 1)
Vapor density	: 4.6 (Air =1)
Freezing/melting point	: 65.6 °C
Appearance (colour)	: Translucent off white
Appearance (form)	: Solid
Odour	: Hydrocarbon solvent odour

#### **10. STABILITY AND REACTIVITY**

**10.1 Reactivity**: No further relevant information available.

**10.2 Chemical stability**: Stable under normal condition.

Thermal decomposition / conditions to avoid: No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions**: No dangerous reactions known.
- **10.4 Conditions to avoid**: Avoid extreme temperatures and sunlight.
- **10.5 Incompatible materials**: Strong oxidizing agents
- **10.6 Hazardous decomposition products**: None.

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

Exposure route	Endpoint	Value	Species	Source
Oral	LD50	5555.6 mg/kg	Rat	ECHA
Dermal	LD50	2222.2 mg/kg	Rabbit	ECHA
Inhalation	LC50	5.36 mg/L	Rat	ECHA

Skin corrosion/irritation: May cause mild skin irritation.

Serious eye damage/eye irritation: Shall not be classified as damage/ irritant to eyes.

Respiratory or skin sensitization: Shall not be classified as respiratory or skin sensitizer.

**Summary of evaluation of the CMR properties:** Shall not be classified as a germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity – single exposure: No data available.

Specific target organ toxicity – repeated exposure: No data available.

Aspiration hazard: May causes aspiration hazards.

# **12. ECOLOGICAL INFORMATION**

12.1 Toxicity

Specified substance: Distillates (petroleum). hydrotreated light

Endpoint	Value	Species	Exposure time	Source
LL50	2 -5 mg/L	Fish	96 hours	ECHA
EL50	1.4 mg/L	Aquatic invertebrates	48 hours	ECHA

# SAFETY DATA SHEET IGL COATINGS™ ECOSHINE NANOWAX



Material no. Specification

Version

154293 1.15 16.02.2021

5 of 6

EL50	810 - 890 μg/L	Aquatic invertebrates	21 days	ECHA
EL50	3 mg/L	Aquatic algae and cyanobacteria	72 hours	ECHA

**Revision date** 

Page

# Specified substance: Paraffin wax

Endpoint	Value	Species	Exposure time	Source
LL50	100 mg/L	Fish	96 hours	ECHA
LL50	10 g/L	Aquatic invertebrates	48 hours	ECHA

# Specified substance: Hydrocarbon wax

Endpoint	Value	Species	Exposure time	Source
LL50	100 mg/L	Fish	96 hours	ECHA
LL50	10 g/L	Aquatic invertebrates	48 hours	ECHA

# 12.2 Process of degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

# 12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

No data available.

# **13. DISPOSAL CONSIDERATION**

# 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulation.

# Sewage disposal-related information

Do not empty into drains.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **14. TRANSPORT INFORMATION**

14.1 IATA-DGR	
UN number	:-
UN proper shipping name	: Non dangerous goods
Transport hazard class(es)	:-
Packing group	:-
Environmental hazards	: No
Special precautions for user	: No data available.
Remarks	:-
14.2 IMDG-Code	
UN number	:-
UN proper shipping name	: Non dangerous goods
Transport hazard class(es)	:-
Packing group	:-
Environmental hazards	: No
Marine pollutant	: No

# SAFETY DATA SHEET IGL COATINGS<sup>™</sup> ECOSHINE NANOWAX

1.15

Material no. Specification

Version

154293 Revision date Page

16.02.2021

🕜 igl coatings

6 of 6

EmS Code

# **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **US Federal Regulations** 

# US. Toxic Substances Control Act (TSCA)

All chemical substances in this material are included on the TSCA Inventory of Chemical Substances.

# Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substance List

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

: -

Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

### Emergency Planning and Community Right-To-Know Act (EPCRA) Section 313 Toxics Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CRF 68.130)

None present or none present in regulated quantities.

# **US. State Regulation**

# US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

# **EU Regulation**

# EU. Directive 2012/18/EU (SEVESO III) on Major Accident Hazards Involving Dangerous Substances, Annex I:

Not applicable.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **16. OTHER INFORMATION**

#### **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.